ARB 4x4 Accessories



- External features
- Internal features
- Range
- Accessories

Range

Developed in Australia to suit unique Outback conditions, the ARB Fridge Freezer range offers the convenience of having cold food and drinks no matter where your 4wheeling adventures take you. Available in four sizes, there is a fridge to match your budget and lifestyle.



35 Litre

35 Litre Fridge Freezer Specifications

Capacity: 35 litres (50 x 375ml cans)

External Dimensions: H428mm x W380mm x D705mm

Internal Dimensions:

Fruit & dairy compartment: H126mm x W285mm x D151mm

Main compartment: H321mm x W285mm x D337mm

Weight: 20.7kg

Cooling Capacity: +10°C to -18°C

Built-in 12/24V DC and 100-240V AC power

Power:



47 Litre

47 Litre Fridge Freezer Specifications

Capacity: 47 litres (72 x 375ml cans)

External

H508mm x W380mm x D705mm

Dimensions: Internal

Dimensions:

compartment: H206mm x W285mm x D151mm

Main

H401mm x W285mm x D337mm

compartment:

Weight: 22.5kg

Cooling

Power:

+10°C to -18°C

Capacity:

Built-in 12/24V DC and 100-240V AC power

Integrated battery protection system

0.87 amps/hour*

Current

*Power consumption tested at 3°C cabinet temperature, 26°C-31°C

Draw:

ambient temperature range, test duration of 66 hours and supply voltage of

12V DC

Use the form below to view products specifically for your vehicle.



60 Litre

60 Litre Fridge Freezer Specifications

Capacity: 60 litres (90 x 375ml cans)

External Dimensions: H428mm x W450mm x D845mm

Internal Dimensions:

Fruit & dairy compartment: H126mm x W355mm x D151mm H321mm x W355mm x D477mm Main compartment:

Weight: 24.5kg Cooling Capacity: +10°C to -18°C

Power: Built-in 12/24V DC and 100-240V AC power

Integrated battery protection system



78 Litre

78 Litre Fridge Freezer Specifications

Capacity: 78 litres (120 x 375ml cans)

External Dimensions: H508mm x W450mm x D845mm

Internal Dimensions:

Fruit & dairy compartment: H206mm x W355mm x D151mm

Main compartment: H401mm x W355mm x D477mm

Weight: 27.1kg

Cooling Capacity: +10°C to -18°C

Power: Built-in 12/24V DC and 100-240V AC power

Integrated battery protection system