Utility Winches: 4000 DC



WARN 4000 DC

Versatile and powerful - great for trailers or the jobsite

Looking to make your job a bit easier? The WARN?? 4000 DC has the power to move heavy loads quickly and effortlessly. With an impressive pulling capacity and lots of standard features, this winch works hard at making your job easy.

- 4,000 lb. (1814 kg) pulling capacity lets you move a variety of heavy objects
- 12-volt power for portability, ideal for use on trailers or hitch mounts
- Outstanding duty cycle, durability, and reliability
- Powerful 1.9 horsepower permanent magnet DC motor with outstanding duty cycle
- 43' of 7/32" (13m of 6mm) wire rope with hook and clasp
- Remote plug accepts 12' (3.7m) corded remote (included) or optional wireless remote kit
- Convenient easy-lift clutch lever
- Durable, reliable three-stage planetary geartrain
- Dynamic and mechanical braking for excellent control and holding power
- Roller fairlead

4000 DC SPECS

Part Number: PN 94000

Rated Line Pull: 4,000 lbs. (1864 kgs)

Motor: Permanent Magnet

HP: 1.9 HP

Power: 12 volt DC

Switch Type: Remote with 12'(3.7 m) Lead

Drum Diameter: 2.375" (6.03 cm)

Gear Train: 3-Stage planetary

Clutch: Lever - Multi-Directional

Hole Pattern: 3 holes

Gear Ratio: 176:1

Brake: Dynamic and mechanical braking

Rope: Wire, 7/32" X 43' (13 m)

Fairlead: Roller

Electrical Leads: 2 - 6' (1.8 m) x 6 gauge cable

Warranty: 1 year limited

Replacement Wire Rope: PN 78987

12V DC PERFORMANCE SPECS (first layer of drum)

Line Pull Lbs.(Kgs.)	Line Speed FT./min(M/min.)	Motor Current	Pull by layer layer/Lbs(Kgs.)
0	7.2(2.2)	6.7	1/4000(1814)
500(226.8)	6.8(2.0)	24.1	2/3410(1550)
1000(453.6)	5.7(1.7)	44.7	3/3170(1440)
2000(907.2)	10.9(3.3)	180	4/2950(1340)
3000(1361)	8.9(2.7)	210	
4000(1814)	6.9(2.1)	240	

Above performance specs are based on first layer of drum

